



Revision Number: 002.0

Issue date: 10/10/2025

**1. IDENTIFICATION**

**Product name:** LOCTITE LB 8009 HEAVY DUTY ANTI-SEIZE known as Heavy Duty Anti-Seize **IDH number:** 209758

**Product type/Recommended use:** Antiseize **Item number:** 51606

**Restriction of Use:** None identified **Region:** Canada

**Company address:** Henkel Canada Corporation  
Meadowpine Boulevard 2515  
Mississauga, Ontario L5N 6C3

**Contact information:**  
Telephone: +1 (905) 814-6511  
MEDICAL EMERGENCY Phone: Poison Control Center  
1-877-671-4608 (toll free) or 1-303-592-1711  
TRANSPORT EMERGENCY Phone: CHEMTREC  
1-800-424-9300 (toll free) or 1-703-527-3887  
Internet: www.henkelna.com

**2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

**DANGER:** H315 - CAUSES SKIN IRRITATION.  
H318 - CAUSES SERIOUS EYE DAMAGE.

| HAZARD CLASS       | HAZARD CATEGORY |
|--------------------|-----------------|
| SKIN IRRITATION    | 2               |
| SERIOUS EYE DAMAGE | 1               |

**PICTOGRAM(S)**



**Precautionary Statements**

**Prevention:** P264 - Wash affected area thoroughly after handling.  
P280 - Wear protective gloves, eye protection, and face protection.

**Response:** P302+P352 - IF ON SKIN: Wash with plenty of water.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332+P313 - If skin irritation occurs: Get medical attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.

**Storage:** Not prescribed

**Disposal:** Not prescribed

IDH number: 209758

Product name: LOCTITE LB 8009 HEAVY DUTY ANTI-SEIZE known as Heavy Duty Anti-Seize

**Other hazards** Not available.

Classification complies with Canadian Hazardous Products Regulations and is consistent with the provision of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s)                                    | CAS Number | Weight %* |
|---|------------|-----------|
| Calcium fluoride  | 7789-75-5  | 10 - 30   |
| Residual oils   | 64742-62-7 | 10 - 30   |
| Paraffin oils (petroleum), catalytic dewaxed heavy        | 64742-70-7 | 10 - 30   |
| Graphite  | 7782-42-5  | 10 - 30   |
| Distillates (petroleum), hydrotreated heavy naphthenic    | 64742-52-5 | 10 - 30   |
| Calcium distearate  | 1592-23-0  | 5 - 10    |
| Distillates (petroleum), solvent-refined heavy paraffinic | 64741-88-4 | 5 - 10    |
| Calcium dodecylbenzene sulfonate                          | 26264-06-2 | 5 - 10    |
| Calcium carbonate   | 471-34-1   | 1 - 5     |

\* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

### 4. FIRST AID MEASURES

#### First Aid Measures by likely routes of exposure

|  |   |
|--|---|
| <b>Inhalation:</b>   | If not breathing, give artificial respiration. If breathing is difficult, oxygen should be administered by qualified personnel. Move to fresh air. If symptoms persist, seek medical advice.  |
| <b>Skin contact:</b>   | Rinse with running water and soap. Remove contaminated clothing and shoes. Seek medical attention immediately. Wash contaminated clothing before reuse. Thoroughly clean shoes before reuse. Discard any shoes or clothing items that cannot be decontaminated. |
| <b>Eye contact:</b>  | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Seek medical attention immediately.  |
| <b>Ingestion:</b>  | Seek immediate medical attention. Do not induce vomiting. Never give anything by mouth to an unconscious person.  |
| <b>Most important symptoms and effects (acute and delayed):</b>                  | The most important known symptoms and effects, both acute and delayed, are described in Section 11: Toxicological Information.  |
| <b>Indication of any immediate medical attention / special treatment needed:</b> | Not available.  |

### 5. FIRE FIGHTING MEASURES

|   |   |
|---|---|
| <b>Extinguishing media:</b>             | Water spray (fog), foam, dry chemical or carbon dioxide. Do not use high volume water jet.                                    |
| <b>Improper extinguishing agents:</b>   | Not available.  |
| <b>Special firefighting procedures:</b> | Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. Keep unnecessary personnel away. |

**Unusual fire or explosion hazards:** Closed containers may rupture (due to build up of pressure) when exposed to extreme heat. In case of fire, keep containers cool with water spray. Do not allow run-off from fire fighting to enter drains or water courses.

**Hazardous combustion products:** Oxides of carbon. Hydrocarbons. Toxic fumes. Irritating vapors.

## 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:** Do not allow product to enter sewer or waterways.

**Clean-up methods:** Evacuate and ventilate spill area; dike spill to prevent entry into water system; wear full protective equipment during clean-up. Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Scrape up spilled material and place in a closed container for disposal.

## 7. HANDLING AND STORAGE

**Handling:** Use only with adequate ventilation. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. See Section 8 of the SDS for Personal Protective Equipment. Keep container closed.

**Storage:** Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use. Keep in a cool, well ventilated area.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s)                                    | ACGIH TLV   | OSHA PEL  | AIHA WEEL | OTHER |
|---|---|---|-----------|-------|
| Calcium fluoride  | 2.5 mg/m3 TWA<br>(as F)   | 2.5 mg/m3 PEL (as F)<br>2.5 mg/m3 TWA<br>Dust.  | None      | None  |
| Residual oils   | 5 mg/m3 TWA<br>Inhalable fraction.  | None  | None      | None  |
| Paraffin oils (petroleum), catalytic dewaxed heavy        | 5 mg/m3 TWA<br>Inhalable fraction.  | 5 mg/m3 PEL Mist.   | None      | None  |
| Graphite  | 2 mg/m3 TWA<br>Respirable fraction.   | 5 mg/m3 PEL<br>Respirable fraction.<br>15 mg/m3 PEL<br>Total dust.<br>5 mg/m3 PEL<br>Respirable fraction.<br>15 mg/m3 PEL<br>Total dust.  | None      | None  |
| Distillates (petroleum), hydrotreated heavy naphthenic    | 5 mg/m3 TWA<br>Inhalable fraction.  | 5 mg/m3 PEL Mist.<br>500 ppm (2,000 mg/m3) PEL  | None      | None  |
| Calcium distearate  | 3 mg/m3 TWA<br>Respirable fraction.<br>3 mg/m3 TWA<br>Respirable fraction.<br>10 mg/m3 TWA<br>Inhalable fraction. | None  | None      | None  |
| Distillates (petroleum), solvent-refined heavy paraffinic | 5 mg/m3 TWA<br>Inhalable fraction.<br>5 mg/m3 TWA mist<br>10 mg/m3 STEL<br>mist                                   | 5 mg/m3 TWA mist<br>500 ppm (2,000 mg/m3) PEL<br>5 mg/m3 PEL Mist.  | None      | None  |
| Calcium carbonate   | 10 mg/m3 TWA<br>Total dust.<br>3 mg/m3 TWA<br>Respirable particles.<br>10 mg/m3 TWA<br>Inhalable particles.       | 15 mg/m3 PEL<br>Total dust.<br>5 mg/m3 PEL<br>Respirable fraction.<br>15 mg/m3 TWA<br>Total dust.<br>50 MPPCF TWA<br>Total dust.<br>15 MPPCF TWA<br>Respirable fraction.<br>5 mg/m3 TWA<br>Respirable fraction.<br>15 mg/m3 PEL<br>Total dust.<br>5 mg/m3 PEL<br>Respirable fraction. | None      | None  |

**Engineering controls:**

Use local ventilation if general ventilation is insufficient to maintain vapor concentration below established exposure limits.

**Respiratory protection:**

Use NIOSH approved respirator if there is potential to exceed exposure limit(s). Use KOSHA approved respirator if there is potential to exceed exposure limit(s).

**Eye/face protection:**

Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists. Safety showers and eye wash stations should be available. Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists. Safety showers and eye wash stations should be available.

**Skin protection:**

Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact. Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

|   |  |
|---|--|
| <b>Physical state:</b>  | Liquid   |
| <b>Color:</b>   | Gray / Grey  |
| <b>Odor:</b>  | Characteristic                                     |
| <b>Odor threshold:</b>  | Not available.                                     |
| <b>pH:</b>  | Product is non-soluble (in water),. Not applicable |
| <b>Vapor pressure:</b>  | < 1 hPa (20 °C (68°F))                             |
| <b>Boiling point/range:</b>                                       | > 100 °C (> 212°F)None                             |
| <b>Melting point/ range:</b>                                      | Not applicable, Product is a liquid                |
| <b>Density/Relative density:</b>                                  | 1.18   |
| <b>Relative vapor density:</b>                                    | > 1 20 °C  |
| <b>Flash point:</b>   | > 93 °C (> 199.4 °F)                               |
| <b>Flammable/Explosive limits - lower:</b>                        | Not available.                                     |
| <b>Flammable/Explosive limits - upper:</b>                        | Not available.                                     |
| <b>Autoignition temperature:</b>                                  | Not available.                                     |
| <b>Flammability:</b>  | The product is not flammable.                      |
| <b>Evaporation rate:</b>  | Not available.                                     |
| <b>Solubility:</b>  | Not miscible or difficult to mix Water             |
| <b>Partition coefficient n-octanol/water (logarithmic value):</b> | Not available.                                     |
| <b>VOC content:</b>   | < 3 % Essentially Zero                             |
| <b>Dynamic viscosity:</b>   | Not available.                                     |
| <b>Kinematic viscosity:</b>                                       | > 20.5 mm <sup>2</sup> /s                          |
| <b>Particle characteristics:</b>                                  | Not applicable, Product is a liquid                |
| <b>Decomposition temperature:</b>                                 | Not available.                                     |

**10. STABILITY AND REACTIVITY**

|  |  |
|--|--|
| <b>Stability:</b>                        | Stable under normal conditions of storage and use.   |
| <b>Hazardous reactions:</b>              | None under normal processing.  |
| <b>Hazardous decomposition products:</b> | Oxides of carbon. Hydrocarbons. Toxic fumes. Irritating vapors.  |
| <b>Incompatible materials:</b>           | Strong oxidizing agents.   |
| <b>Reactivity:</b>                       | Not available.   |
| <b>Conditions to avoid:</b>              | Elevated temperatures. Heat, flames, sparks and other sources of ignition. Store away from incompatible materials. |

**11. TOXICOLOGICAL INFORMATION**

|                                   |                                   |
|-----------------------------------|-----------------------------------|
| <b>Likely routes of exposure:</b> | Skin, Inhalation, Eyes, Ingestion |
|-----------------------------------|-----------------------------------|

**Potential Health Effects/Symptoms**

**Inhalation:** Inhalation of vapors or mists of the product may be irritating to the respiratory system. May cause respiratory tract irritation.  
**Skin contact:** Causes skin irritation.  
**Eye contact:** Causes serious eye damage.  
**Ingestion:** Not expected under normal conditions of use. May cause gastrointestinal tract irritation if swallowed.

| Hazardous Component(s)                                    | LD50s and LC50s  |
|---|--|
| Calcium fluoride  | Oral LD50 (Rat) = 4,250 mg/kg<br>Inhalation LC50 (Rat, 4 h) = > 5,070 mg/m3  |
| Residual oils   | Inhalation LC50 (Rat, 4 h) = 2.18 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 5.53 mg/l   |
| Paraffin oils (petroleum), catalytic dewaxed heavy        | Inhalation LC50 (Rat, 4 h) = 10.5 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 5.53 mg/l<br>Inhalation LC50 (Rat, 4 h) = < 5.7 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 5.3 mg/l<br>Inhalation LC50 (Rat, 4 h) = 9.6 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 5 mg/l<br>Inhalation LC50 (Rat, 4 h) = 5.7 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 5.2 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 5.2 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 2.5 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 5 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 4.7 mg/l<br>Inhalation LC50 (Rat, 4 h) = 9.6 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 3.9 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 3.9 mg/l<br>Inhalation LC50 (Rat, 4 h) = 2.18 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 5 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 5.3 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 5 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 2.4 mg/l<br>Inhalation LC50 (Rat, 4 h) = 10.5 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 4.026 mg/l |
| Graphite  | Inhalation LC50 (Rat, 4 h) = > 2,000 mg/m3<br>Inhalation LC50 (Rat, 4 h) = > 2,000 mg/m3   |
| Distillates (petroleum), hydrotreated heavy naphthenic    | Inhalation LC50 (Rat, 4 h) = > 4.026 mg/l<br>Inhalation LC50 (Rat, 4 h) = 2.18 mg/l<br>Inhalation LC50 (Rat, 4 h) = 10.5 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 5.2 mg/l<br>Inhalation LC50 (Rat, 4 h) = < 5.7 mg/l  |
| Calcium distearate  | None   |
| Distillates (petroleum), solvent-refined heavy paraffinic | Inhalation LC50 (Rat, 4 h) = > 5.2 mg/l<br>Inhalation LC50 (Rat, 4 h) = 10.5 mg/l<br>Inhalation LC50 (Rat, 4 h) = 2.18 mg/l<br>Inhalation LC50 (Rat, 4 h) = > 4.026 mg/l   |
| Calcium dodecylbenzene sulfonate                          | None   |
| Calcium carbonate   | Oral LD50 (Rat) = 6,450 mg/kg<br>Oral LD50 (Mouse) = 6,450 mg/kg<br>Inhalation LC50 (Rat, 4 h) = > 3 mg/l  |

| Hazardous Component(s)                                 | Immediate Health Effects | Delayed Health Effects | Chronic Health Effects         |
|--|--------------------------|------------------------|--------------------------------|
| Calcium fluoride                                       |                          |                        | Teeth<br>Muscle<br>Respiratory |
| Residual oils  |                          |                        |                                |
| Paraffin oils (petroleum), catalytic dewaxed heavy     |                          |                        |                                |
| Graphite   |                          |                        | Lung                           |
| Distillates (petroleum), hydrotreated heavy naphthenic | Irritant                 |                        |                                |
| Calcium distearate                                     |                          |                        |                                |

|   |               |  |      |
|---|---------------|--|------|
| Distillates (petroleum), solvent-refined heavy paraffinic | Irritant      |  |      |
| Calcium dodecylbenzene sulfonate                          | Irritant      |  | Eyes |
| Calcium carbonate   | Nuisance dust |  |      |

| Hazardous Component(s)                                    | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|---|----------------|-----------------|--|
| Calcium fluoride  | No             | No              | No                                       |
| Residual oils   | No             | No              | No                                       |
| Paraffin oils (petroleum), catalytic dewaxed heavy        | No             | No              | No                                       |
| Graphite  | No             | No              | No                                       |
| Distillates (petroleum), hydrotreated heavy naphthenic    | No             | No              | No                                       |
| Calcium distearate  | No             | No              | No                                       |
| Distillates (petroleum), solvent-refined heavy paraffinic | No             | No              | No                                       |
| Calcium dodecylbenzene sulfonate                          | No             | No              | No                                       |
| Calcium carbonate   | No             | No              | No                                       |

## 12. ECOLOGICAL INFORMATION

**Ecological information:** Not available.

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Follow all local, state, federal and provincial regulations for disposal.

## 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any packaging.

### Canada Transportation of Dangerous Goods - Ground

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

### International Air Transportation (ICAO/IATA)

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

### Water Transportation (IMO/IMDG)

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

## 15. REGULATORY INFORMATION

### Canada Regulatory Information

**CEPA DSL/NDSL Status:** All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

### United States Regulatory Information

**TSCA 8 (b) Inventory Status:** All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory.

## 16. OTHER INFORMATION

**This safety data sheet contains changes from the previous version in sections: 2, 3, 8, 9, 11**

**Prepared by:** Product Safety and Regulatory Affairs

**Issue date:** 10/10/2025

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on the Canadian Hazardous Products Regulations (WHMIS 2015) and provides information in accordance with Canadian law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.