



Revision Number: 006.0

Issue date: 08/14/2025

**1. IDENTIFICATION**

**Product name:** BONDERITE S-AD HOT 15 PAINT STRIPPER known as P3 HOT STRIPPER ADDITIVE 15 **IDH number:** 967452

**Product type/ Recommended use:** Additive

**Restriction of Use:** None identified **Region:** Canada

**Company address:** Henkel Canada Corporation  
Meadowpine Boulevard 2515  
Mississauga, Ontario L5N 6C3

**Contact information:**  
Telephone: +1 (905) 814-6511  
MEDICAL EMERGENCY Phone: Poison Control Center  
1-877-671-4608 (toll free) or 1-303-592-1711  
TRANSPORT EMERGENCY Phone: CHEMTREC  
1-800-424-9300 (toll free) or 1-703-527-3887  
MEDICAL EMERGENCY Phone: Poison Control Center  
1-877-671-4608 (toll free) or 1-303-592-1711  
TRANSPORT EMERGENCY Phone: CHEMTREC  
1-800-424-9300 (toll free) or 1-703-527-3887  
Internet: www.henkelna.com

**2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

**WARNING:** H302 - HARMFUL IF SWALLOWED.  
H319 - CAUSES SERIOUS EYE IRRITATION.

| HAZARD CLASS        | HAZARD CATEGORY |
|---------------------|-----------------|
| ACUTE TOXICITY ORAL | 4               |
| EYE IRRITATION      | 2A              |

**PICTOGRAM(S)**



**Precautionary Statements**

**Prevention:** P264 - Wash affected area thoroughly after handling.  
P270 - Do not eat, drink or smoke when using this product.  
P280 - Wear eye and face protection.

**Response:** P301+P312+P330 - IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. Rinse mouth.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 - If eye irritation persists: Get medical attention.

**Storage:** Not prescribed

**Disposal:** P501 - Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

IDH number: 967452

Product name: BONDERITE S-AD HOT 15 PAINT STRIPPER known as P3 HOT STRIPPER ADDITIVE 15

**Other hazards** Not available.

Classification complies with Canadian Hazardous Products Regulations and is consistent with the provision of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s)            | CAS Number | Weight %* |
|-----------------------------------|------------|-----------|
| Ethylene glycol monophenyl ether  | 122-99-6   | 60 - 80   |
| Diethyleneglycol monophenyl ether | 104-68-7   | 5 - 10    |
| Diethanolamine                    | 111-42-2   | 0.1 - 1   |

\* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

### 4. FIRST AID MEASURES

#### First Aid Measures by likely routes of exposure

|  |   |
|--|---|
| <b>Inhalation:</b>   | If mist or vapor of this product is inhaled, remove person immediately to fresh air. Seek medical attention if symptoms develop or persist. |
| <b>Skin contact:</b>   | Remove contaminated clothing and footwear. If symptoms develop and persist, get medical attention.  |
| <b>Eye contact:</b>  | In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.   |
| <b>Ingestion:</b>  | Seek medical advice. DO NOT induce vomiting unless directed to do so by medical personnel.  |
| <b>Most important symptoms and effects (acute and delayed):</b>                  | The most important known symptoms and effects, both acute and delayed, are described in Section 11: Toxicological Information.              |
| <b>Indication of any immediate medical attention / special treatment needed:</b> | Not available.  |

### 5. FIRE FIGHTING MEASURES

|   |  |
|---|--|
| <b>Extinguishing media:</b>               | Water spray (fog), foam, dry chemical or carbon dioxide.   |
| <b>Improper extinguishing agents:</b>     | Not available.   |
| <b>Special firefighting procedures:</b>   | Wear full protective clothing. Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. Cartridge respirators do not provide adequate protection for fire fighters or exotherm mitigation. |
| <b>Unusual fire or explosion hazards:</b> | May liberate large quantities of dense, foul-smelling smoke which may contain unidentified toxic gasses.   |

**Hazardous combustion products:**

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. Oxides of nitrogen.

## 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:**

Prevent further leakage or spillage if safe to do so. Wear appropriate protective equipment and clothing during clean-up. Remove all sources of ignition.

**Clean-up methods:**

Absorb spill with inert material. Shovel material into appropriate container for disposal. Dispose of according to Federal, State and local governmental regulations.

## 7. HANDLING AND STORAGE

**Handling:**

Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Avoid breathing vapors or mists of this product. Use only with adequate ventilation. Do not take internally. For industrial use only.

**Storage:**

Keep container tightly closed and in a cool, well-ventilated place away from incompatible materials. Store away from strong oxidizers. Do not pressurize, cut, heat or weld containers. Empty product containers may contain product residue. Do not reuse empty containers.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s)           | ACGIH TLV  | OSHA PEL | AIHA WEEL | OTHER         |
|----------------------------------|--|----------|-----------|---------------|
| Ethylene glycol monophenyl ether | None   | None     | None      | 25 ppm (SKIN) |
| Triethanolamine                  | 5 mg/m <sup>3</sup> TWA  | None     | None      | None          |
| Diethanolamine                   | 1 mg/m <sup>3</sup> TWA<br>Inhalable fraction and vapor.<br>(SKIN) Inhalable fraction and vapor. | None     | None      | None          |

**Engineering controls:**

Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from the handling of this product.

**Respiratory protection:**

If ventilation is not sufficient to effectively prevent buildup of aerosols, mists or vapors, appropriate NIOSH/MSHA respiratory protection must be provided.

**Eye/face protection:**

Wear chemical goggles; face shield (if splashing is possible).

**Skin protection:**

Chemical resistant, impermeable gloves. Gloves should be tested to determine suitability for prolonged contact. Use of impervious apron and boots are recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical state:**

Liquid

**Color:**

Light yellow

**Odor:**

Mild

**Odor threshold:**

Not available.

**pH:**

Not applicable

IDH number: 967452

Product name: BONDERITE S-AD HOT 15 PAINT STRIPPER known as P3 HOT STRIPPER ADDITIVE 15

|   |  |
|---|--|
| <b>Vapor pressure:</b>  | Not determined                           |
| <b>Boiling point/range:</b>                                       | > 148.9 °C (> 300°F)                     |
| <b>Melting point/ range:</b>                                      | -10 °F (-23.3 °C) Approximately          |
| <b>Density/Relative density:</b>                                  | 1.05 - 1.15                              |
| <b>Relative vapor density:</b>                                    | Not determined                           |
| <b>Flash point:</b>   | > 200 °F (> 93.33 °C) Cleveland open cup |
| <b>Flammable/Explosive limits - lower:</b>                        | Not available.                           |
| <b>Flammable/Explosive limits - upper:</b>                        | Not available.                           |
| <b>Autoignition temperature:</b>                                  | Not determined                           |
| <b>Flammability:</b>  | Not applicable                           |
| <b>Evaporation rate:</b>  | Not determined                           |
| <b>Solubility:</b>  | Partial                                  |
| <b>Partition coefficient n-octanol/water (logarithmic value):</b> | Not determined                           |
| <b>VOC content:</b>   | 48.5 % EPA Method 24                     |
| <b>Dynamic viscosity:</b>   | Not available.                           |
| <b>Kinematic viscosity:</b>                                       | Not available.                           |
| <b>Particle characteristics:</b>                                  | Not available.                           |
| <b>Decomposition temperature:</b>                                 | Not available.                           |

## 10. STABILITY AND REACTIVITY

|  |  |
|--|--|
| <b>Stability:</b>                        | Stable at normal conditions.   |
| <b>Hazardous reactions:</b>              | Will not occur.  |
| <b>Hazardous decomposition products:</b> | Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons. |
| <b>Incompatible materials:</b>           | This product may react with strong reducing agents. This product may react with strong oxidizing agents.         |
| <b>Reactivity:</b>                       | Not available.   |
| <b>Conditions to avoid:</b>              | Store away from incompatible materials.  |

## 11. TOXICOLOGICAL INFORMATION

|                                   |                                   |
|-----------------------------------|-----------------------------------|
| <b>Likely routes of exposure:</b> | Skin, Inhalation, Eyes, Ingestion |
|-----------------------------------|-----------------------------------|

### Potential Health Effects/Symptoms

**Inhalation:** Inhalation of vapors or mists of the product may be irritating to the respiratory system. Excessive inhalation of this material causes headache, dizziness, nausea and incoordination.

**Skin contact:** This product may cause irritation to the skin. Ethylene glycol monophenyl ether is not readily absorbed through the skin. However, repeated exposure to high doses resulted in death and hemolysis in rabbits.

**Eye contact:** Severe eye irritation.

**Ingestion:** May be harmful if swallowed. Ingestion of this product may result in central nervous system effects including headache, sleepiness, dizziness, slurred speech and blurred vision. Ingestion of high levels may produce kidney damage.

| Hazardous Component(s)            | LD50s and LC50s   |
|-----------------------------------|---|
| Ethylene glycol monophenyl ether  | Oral LD50 (Rat) = 1,260 mg/kg<br>Oral LD50 (Rat) = 13,700 mg/kg<br>Oral LD50 (Mouse) = 16,500 mg/kg |
| Diethyleneglycol monophenyl ether | None  |
| Diethanolamine                    | Oral LD50 (Rat) = 710 mg/kg<br>Oral LD50 (Rat) = 1.82 g/kg  |

| Hazardous Component(s)            | Immediate Health Effects | Delayed Health Effects | Chronic Health Effects   |
|-----------------------------------|--------------------------|------------------------|--|
| Ethylene glycol monophenyl ether  | Irritant                 |                        | Blood<br>Central nervous system<br>Developmental<br>Kidney<br>Reproductive |
| Diethyleneglycol monophenyl ether | Irritant                 |                        |  |
| Diethanolamine                    | Corrosive<br>Irritant    | Allergen               | Liver<br>Respiratory   |

| Hazardous Component(s)            | NTP Carcinogen | IARC Carcinogen | OSHA Carcinogen (Specifically Regulated) |
|-----------------------------------|----------------|-----------------|--|
| Ethylene glycol monophenyl ether  | No             | No              | No                                       |
| Diethyleneglycol monophenyl ether | No             | No              | No                                       |
| Diethanolamine                    | No             | Group 2B        | No                                       |

## 12. ECOLOGICAL INFORMATION

**Ecological information:** Not available.

## 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Follow all local, state, federal and provincial regulations for disposal.

## 14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any packaging.

### Canada Transportation of Dangerous Goods - Ground

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

### International Air Transportation (ICAO/IATA)

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**Water Transportation (IMO/IMDG)**

**Proper shipping name:** Not regulated  
**Hazard class or division:** None  
**Identification number:** None  
**Packing group:** None

**15. REGULATORY INFORMATION**

**Canada Regulatory Information**

**CEPA DSL/NDSL Status:** All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

**United States Regulatory Information**

**TSCA 8 (b) Inventory Status:** All components are listed as active or are exempt from listing on the Toxic Substances Control Act (TSCA) inventory.

**16. OTHER INFORMATION**

**This safety data sheet contains changes from the previous version in sections:** New Safety Data Sheet format.

**Prepared by:** Product Safety and Regulatory Affairs

**Issue date:** 08/14/2025

**DISCLAIMER:** The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on the Canadian Hazardous Products Regulations (WHMIS 2015) and provides information in accordance with Canadian law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.